



ALFAMATIC

MODELLO/TYPE A 26 *Super*

26 - 24 - 20




F1	● KG 12000	■ 11000
	~KG 8000/12000	

- IN ESERCIZIO / IN SERVICE
- FUORI ESERCIZIO / OUT OF SERVICE
- PESO SENZA E CON ZAVORRA DI MONTAGGIO
WEIGHT WITHOUT & WITH ASSEMBLY BALLAST


A26 Super

DIAGRAMMI DI CARICO/LOAD DIAGRAMS






MONTAGGIO/ERECTION


Montaggio
Erection
11'





MECCANISMI/MECHANISMS A 26 Super TRIFASE/THREE-PHASE


	HP	M/1'		HP	V	M/1'	KG
	2/3 (MRC 86)	16/32		7,5/7,5/2 (109-3VS)	400	I 4,5	1500
						II 18	1500
						III 36	750
	2,5 (VF)	0 ▶ 0,9 (G/1'-REV/1')	MONTAGGIO ERECTION	8 ♦(MULTILIFT)		0 ▶ 45 (3/10/18 36/45)	1500/1500/1500 750/600
				3	---	---	---

TRASPORTO / TRANSPORT



A 26 Super MONO-TRIFASE/ONE & THREE-PHASE ♦

	HP	M/1'		HP	V	M/1'	KG
	3 (MRC 86)	30		5 (109-3VS)	220	I 4	1200
						II 8	1200
						III 14	600
	2,5 (VF)	0 ▶ 0,9 (G/1'-REV/1')	MONTAGGIO ERECTION	3	400	I 4	1200
						II 15	1200
						III 30	700
				---	---	---	---



ALIMENTAZIONE/POWER SUPPLY V 400/220 ♦ /50HZ	MONTAGGIO IDRAULICO/HYDRAULIC ERECTION	BAR 110 ▶ 280
ASSALI TRAINO/TRANSPORT AXLES	RADIOCOMANDO/RADIOCONTROL	
ASSORBIMENTO/MAINS SUPPLY KW 10,8/5 ♦ /3 ♦	ZAVORRA DI MONTAGGIO/ASSEMBLY BALLAST	~KG 4300
BRACCIO IMPENNATO/LUFFING JIB	ZAVORRA MOBILE/MOBILE BALLAST	~KG 10000
FALCONE ZAVORRA/BALLAST DERRICK	♦ ZINCATURA TORRE E FRECCIA/TOWER AND JIB GALVANIZATION	

